

MATERIAL SAFETY DATA SHEET

Reviewed & Approved by, Dr. P. Arjunan, Vice President – R&D

1. IDENTIFICATION OF THE PRODUCT AND NAME OF THE COMPANY/UNDERTAKING

TRADE NAME : MYK LATICRETE SP-100™ DUO Part B

MANUFACTURER'S NAME : MYK LATICRETE INDIA PVT. LTD.

Plot No. 30/C (Sy.No. 83/1), Orbit Building, 17th Floor, Tower 1,

Knowledge City, TSIIC, Raidurg, Ranga Reddy Dist.,

Hyderabad - 500 081, Telangana, India. (T.S) Tel: +91-40-6817 3100

Recommended use of the chemical and restrictions on use

Recommended use : Epoxy Grout for Tile/Stone joints

Restrictions on use : NA

2. HAZARDOUS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin irritation, H315

Serious eye damage/eye irritation, Category 1 H318

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

Pictogram

Signal word Warning; Causes skin irritation

Hazard statement(s)

H315	Causes skin irritation			
H319	Causes serious eye irritation			
H317	May cause an allergic skin reaction			
H341	Suspected of causing genetic defects			
H411	Toxic to aquatic life with long lasting effects			
H319	Causes serious eye irritation			
H350	May cause cancer (Ingestion)			
H370	Causes damage to organs (central nervous system, optic			
	nerve) (oral, Dermal)			

Precautionary statement(s)

_					
: Prevention					
P102	Keep out of reach of children.				
P103	Read label before use.				
P261	Avoid breathing dust/vapor/spray/mist/mist/gas.				
P264	Wash thoroughly after handling				
P270	Do not eat, drink, or smoke when using this product				
P272	Contaminated work clothing should not be allowed out of				
	The workplace				
P273	Avoid release to the environment.				
P280	Wear protective gloves/ protective clothing/ eye				
	protection/ face protection.				
: Response	, ,				
P302+P352	IF ON SKIN: Wash with plenty of soap and water.				
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes.				
	Remove contact lenses, if present and easy to do.				
	Continue rinsing.				
P337 + P313	If eye irritation persists: Get medical advice/attention.				
P403 + P235	Store in a well-ventilated place. Keep cool.				
: Disposal	Store in a wen ventuated place. Reep cool.				
P501	Dispose of contents/container to an approved waste				
disposal plant in accordance with local, regional,					
	and international regulations.				
_					
P264	supplemental Hazard Statement(s)				
-	Wash contaminated skin thoroughly after handling.				
P272	Contaminated work clothing should not be allowed out of				
D000 D040	the workplace.				
P333+P313	If skin irritation or rash occurs: Get medical advice/				
	attention.				
P337+P313	If eye irritation persists: Get medical advice/ attention.				

2.3 Other hazards

P391

P362+P364

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

Collect spillage.

Take off contaminated clothing and wash it before reuse.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Ingredients

Chemical Name	CAS-No.	Concentration (%)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Reaction product: Bisphenol-A- (epichlorohydrin) epoxy resin (number average molecular weight ≤ 400)	25068-38-6	< 40%	Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Aquatic Chronic 2 - H411
Silica Sand	14808-60-7	>60%	Carcinogenicity, category 1A, H350-370
Titanium dioxide	13463-67-7	0 - 4	Carcinogenicity, category 1A, H350-370

4. FIRST AID MEASURES

Emergency first aid procedures by route of exposure:

General advice: Consult a physician. Show this safety data sheet to the doctor in attendance. **If inhaled:** If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

If swallowed: Do not induce vomiting. If the material is swallowed, get medical attention or advice.

In case of skin contact: If irritation is experienced, flush with water. If irritation persists, get medical attention.

In case of eye contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

5. FIRE FIGHTING MEASURES

5.1 Extinguishing Media:

Suitable extinguishing media The product is NOT flammable. Extinguish with

alcohol-resistant foam, carbon dioxide, dry powder, or water fog. Use fire-extinguishing media

suitable for the surrounding fire.

Unsuitable extinguishing media Do NOT use High Volume water jet.

5.2 Special hazards arising from the substance or mixture:

Containers can burst violently or explode when heated, due to excessive pressure buildup. Thermal decomposition or combustion products may include Harmful gases or vapors.

5.3 Specific extinguishing methods:

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Remove undamaged containers from fire area if it is safe to do so.

Avoid breathing fire gases or vapors.

Evacuate area.

Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk.

Cool containers exposed to flames with water until well after the fire is out.

Avoid discharge to the aquatic environment.

Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

5.3 Fire Fighting Equipment/Instructions:

In the event of fire, use personal protective equipment, protective clothing and equipment suitable for the surrounding fire, including helmet, facemask, and wear self-contained breathing apparatus.

5.5 NFPA Rating: Health:1 Fire: 1 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

5.6 Further information:

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment, and emergency procedures:

No action shall be taken without appropriate training or involving any personal risk.

Keep unnecessary and unprotected personnel away from the spillage.

Wear protective clothing as described in Section 8 of this safety data sheet.

Follow precautions for safe handling described in this safety data sheet.

Wash thoroughly after dealing with a spillage.

Ensure procedures and training for emergency decontamination and disposal are in place.

Do not touch or walk into spilled material without PPEs.

Avoid contact with skin and eyes.

6.2 Environmental precautions:

Avoid discharge into drains or watercourses or onto the ground.

Avoid discharge to the aquatic environment.

Large Spillages: Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).

6.3 Methods and materials for containment:

Wear protective clothing as described in Section 8 of this safety data sheet.

Clear up spills immediately and dispose of waste safely.

Approach the spillage from upwind.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Clean the affected area carefully.

6.4 Methods and materials for cleaning up:

If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container.

If leakage cannot be stopped, evacuate area. Flush spilled material into an effluent treatment plant or proceed as follows.

The contaminated absorbent may pose the same hazard as the spilled material. Flush contaminated area with plenty of water.

Wash thoroughly after dealing with a spillage.

6.5 Further Information:

Dangerous for the environment. Do not empty into drains. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Precautions for safe handling

: Comply with the legal requirements. Keep receptacles tightly sealed. Remove contaminated clothing immediately. Clean contaminated clothing. Do not discharge the waste into the drain. Do not use compressed air for pumping over. Use spark-/explosion proof appliances and lighting system. Observe normal hygiene standards. Keep container tightly closed. Work under local exhaust/ventilation.

Hygiene measures

: Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse. Do not eat, drink, or smoke when using this product. Wash at the end of each work shift and before eating, smoking, and using the toilet. Change work clothing daily before leaving workplace.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep container tightly closed. Keep only in the original container in a cool, well-ventilated place away from incompatible materials.

Conditions for safe storage,

including any

incompatibilities

: Miscellaneous hazardous material storage. Store in accordance with local regulations.

Store in original container protected from direct sunlight

in a dry, cool, and well-ventilated area, away from incompatible materials (see Section 10) and food and

drink. Store locked up.

Keep container tightly closed and sealed until ready for

Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store

in unlabeled containers.

Use appropriate containment to avoid environmental

contamination.

See Section 10 for incompatible materials before handling

Local/Total ventilation Special rules on packaging : Use with local exhaust ventilation.

: SPECIAL REQUIREMENTS: closing. dry. clean. correctly

labelled. meet the legal requirements. Secure fragile

packaging in solid containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

8.2 Exposure controls

There is no exposure data pertaining to the Product.

8.3 Exposure Controls

Appropriate engineering controls : If user operations generate dust, fumes, gas, vapor, or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or

statutory limits.

Personal protective equipment

: Safety glasses. Gloves. Protective clothing.

Materials for protective clothing

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before

handling this product.

Eye/face protection

: Tight Sealed Goggles and Face shield. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

: Protective clothing.

Respiratory protection: Based on the hazard and potential for exposure, select a

respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Recommended: organic vapor (Type AX) and particulate

filter

Other information : Appropriate footwear and any additional skin protection

measures should be selected based on the task being performed and the risks involved and should be approved

by a specialist before handling this product

8.4 Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Thixotropic colored paste

Color : Color

Odor : Characteristic
Odor Threshold : No data available

pH : Neutral

Melting point/freezing point : Undetermined Initial boiling point and boiling range : >260°C (>500 °F) Flash point : >252°C (>486°F) **Evaporation rate** : No data available Flammability (solid, gas) : Not applicable Upper explosion limit : No data available Lower explosion limit : No data available : No data available Vapor pressure Relative vapor density : No data available

Specific Gravity (20 °C) : 1.71
Water solubility : Insoluble

Partition coefficient: n-octanol/water : 3.24 log POW (Estimated)

Autoignition temperature : No data available

Decomposition temperature : The mixture is not classified self-reactive.

Explosive properties : Not explosive

Oxidizing properties : The mixture is not classified as oxidizing.

10. STABILITY AND REACTIVITY

Reactivity : No specific test data related to reactivity available for this

product or its ingredients.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous

reactions will not occur

Conditions to avoid : No further relevant information available.

Incompatible materials : Strong Oxidizing agents, Strong Alkali, Strong Bases,

Amines

Hazardous decomposition

Products

: No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

There is no data for this product. The information included in this section describes the potential hazards of the individual ingredients.

Information on likely routes of exposure

Product Information

Inhalation May cause irritation of respiratory tract.

Eye Contact Irritating to eyes. May cause redness, itching, and pain.

Skin Contact May cause redness and irritation.

Ingestion Ingestion may cause irritation to mucous membranes. Ingestion

may cause gastrointestinal irritation, nausea, vomiting and

diarrhea.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No further relevant information available

12.2 Persistence and degradability

No further relevant information available

12.3 Bio accumulative potential

No further relevant information available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bio accumulative and toxic (PBT), or very persistent and very bio accumulative (vPvB) at levels of 0.1% or higher.

Remarks: Toxic for Fish

12.6 Other adverse effects

Additional ecological information No data available

13. DISPOSAL INFORMATION

Dispose of waste and residues in accordance with local authority requirements.

14. TRANSPORT INFORMATION

14.1 International Regulation

UNRTDG

UN number : UN3082

UN proper shipping name

ADR 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (reaction product: bisphenol-A-(epichlorohydrin) epoxy

resin (number average molecular weight ≤ 400))

IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-

chloro-2,3-epoxypropane), MARINE POLLUTANT

IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-

chloro-2,3-epoxypropane)

Packing group : Miscellaneous dangerous substances and articles

Labels 9

14.1 Transport hazard class(es)

ADR/RID: 9 IMDG: 9 IATA: 9

14.2 Packaging group

ADR/RID: III IMDG: III IATA: III

14.3 Environmental hazards

ADR/RID Symbol: Fish and Tree IMDG: Marine pollutant: Yes IATA Symbol: Fish and Tree

14.4 Special precautions for user

No data available

15. REGULATORY INFORMATION

15.1 Safety, health, and environmental regulations/legislation specific for the substance or mixture

Harmful Chemicals List: Listed

16. OTHER INFOMATION

This information is furnished without warranty, representation, inducement, or license of any kind; except that it is accurate to the best of our knowledge, or obtained from sources believed by us to be accurate